



Advanced in Engineering and Intelligence Systems

Journal Web Page: <https://aeis.bilijipub.com>



Automatic Detection and Classification of Eye Diseases from Retinal Images Using Deep Learning: A Comprehensive Research on the ODIR Dataset

Dr.Asadi Srinivasulu^{1,*}, Dr. Clement Varaprasad Karu², G Sreenivasulu³, Dr. Gayathri R⁴

¹Global Centre for Environmental Remediation/College of Engineering, Science & Environment

²Faculty of Engineering, Sohar University, Oman, 311

³Dept.of Biotechnology, Prathyusha Engineering College, Thiruvallur-Chennai High Way, Aranvoyal

⁴Department of Research & Development, Sree Dattha Institute of Engineering & Science, Sheriguda, Greater, Hyderabad -501 510

Highlights

- Introduction of ImAUC-PSVM, a novel approach for cardiovascular disease (CVD) detection.
- Integration of AUC maximization into the objective function for efficient handling of imbalanced datasets.
- Theoretical analysis showcasing structural similarity with standard PSVM, ensuring efficacy in handling progressive CVD scenarios.
- Incorporation of a tailored Differential Evolution algorithm for precise navigation of hyperparameter space, enhancing model performance.

Article Info

Received: 11 December 2023
 Received in revised: 20 January 2024
 Accepted: 21 January 2024
 Available online: 30 March 2024

Keywords

Retinal diseases
 Diabetic retinopathy
 Glaucoma
 Retinal vessel segmentation
 Disease classification
 Fundus images
 Computer vision
 Performance evaluation

Abstract

Retinal disorders like diabetic retinopathy pose a significant threat to global vision. Early diagnosis is crucial, and fundus images provide vital insights into retinal conditions, focusing on blood vessel characteristics. Manual retinal vessel segmentation, though precise, is time-consuming and dependent on skilled professionals. Addressing this, an automatic and efficient retinal vessel segmentation method is urgently needed, utilizing computer vision techniques. Existing approaches include machine learning, filtering-based, and model-based methods. Our research aims to evaluate automated segmentation and classification techniques for diabetic retinopathy and glaucoma using diverse retinal image datasets, including DRIVE, REVIEW, STARE, HRF, and DRION. The methodologies under consideration encompass machine learning, filtering-based, and model-based approaches, with performance assessment based on a range of metrics, including true positive rate, true negative rate, positive predictive value, negative predictive value, false discovery rate, Matthews's correlation coefficient, and accuracy. The primary objective of this research is to scrutinize, assess, and compare the design and performance of different segmentation and classification techniques, encompassing both supervised and unsupervised learning methods. To attain this objective, we will refine existing techniques and develop new ones, ensuring a more streamlined and computationally efficient approach.

1. Introduction

Studies Eye conditions, particularly those that affect the retina, such as diabetic retinopathy, glaucoma, macular edema, and vein occlusions, significantly contribute to the worldwide problem of vision impairment [1]. One of the unique challenges posed by these ailments is their tendency to remain asymptomatic, leaving patients unaware of the disease until their vision deteriorates severely. Early diagnosis is paramount in addressing this issue, as timely

intervention can profoundly impact vision preservation [2]. Fundus images, providing intricate views of the retina, emerge as invaluable assets in detecting the initial indicators of retinal diseases. By scrutinizing various attributes of retinal blood vessels, including their length, width, tortuosity, and branching patterns, healthcare professionals and researchers can uncover vital diagnostic information [3]. However, the conventional approach to this process involves manual retinal vessel segmentation.

* Corresponding Author: Dr.Asadi Srinivasulu
 Email: Srinivasulu.Asadi@newcastle.edu.au

Although effective when executed by skilled experts, this method is labor-intensive and complex, demanding a high degree of expertise and precision from healthcare specialists.

The reliance on manual segmentation presents notable limitations, primarily due to its dependency on the availability of such specialized professionals. Recognizing these challenges, there is a pressing need for an automatic and efficient approach to retinal vessel segmentation and disease classification, capitalizing on the capabilities of computer vision techniques that form the foundation of biomedical imaging [4]. To address this need, the research community has proposed various techniques for segmenting retinal blood vessels, which can be broadly categorized into three approaches: machine learning, filtering-based, and model-based methods. Machine learning methods utilize classifiers trained on manually annotated images to classify pixels as either vessels or non-vessels [5]. Subsequently, they employ feature extraction techniques based on 7D feature vectors and neural network classification. Post-processing steps are then applied to bridge gaps and eliminate isolated pixels.

In contrast, filtering-based approaches leverage morphological operators within morphological image processing, relying on predefined shapes to filter out objects from the background [6]. However, these techniques often treat larger blood vessels as cohesive structures. Model-based methods, while holding the potential for vessel identification using predetermined models, face challenges related to parameter selection, requiring meticulous calibration to simultaneously detect both thin and large vessels effectively [7]. The current research initiative aims to satisfy the need for a comprehensive and empirical evaluation of the performance of automated segmentation and classification techniques concerning the identification of eye-related diseases, with a specific emphasis on diabetic retinopathy and glaucoma. This evaluation will encompass various retinal image datasets, including widely recognized sources like DRIVE, REVIEW, STARE, HRF, and DRION [8].

The methodologies considered in this research span machine learning, filtering-based, and model-based approaches, with performance assessment relying on a spectrum of metrics, including true positive rate (TPR), true negative rate (TNR), positive predictive value (PPV), negative predictive value (NPV), false discovery rate (FDR), Matthews's correlation coefficient (MCC), and accuracy (ACC) [9]. The primary objective of this research is to meticulously examine, assess, and compare the design and

performance of diverse segmentation and classification techniques, encompassing both supervised and unsupervised learning methods [10]. This research necessitates the refinement of existing techniques and the creation of innovative ones to streamline the process and enhance computational efficiency. This research embarks on a comprehensive exploration of techniques for automating the detection and classification of eye diseases from retinal images, underscoring the critical importance of early diagnosis and the pivotal role played by computer vision in this field [11].

The rest of this paper can be categorized as follows: In Section 2, the literature review is done. The existing system is discussed in Section 3. In Section 4, the proposed system is presented, and in Section 5, experimental results are expressed. The conclusion is also stated in Section 6.

2. Literature Review

The examination of retinal disorders and the advancement of methodologies for the automated identification and categorization of ocular diseases from retinal images have gained heightened importance due to their substantial impact on the global burden of visual impairment [12]. This review provides a comprehensive overview of the existing body of research and techniques associated with the early diagnosis of retinal diseases, with a particular focus on diabetic retinopathy and glaucoma [[13]. These techniques employ deep learning methods and involve an extensive evaluation using the Ocular Disease Intelligent Recognition (ODIR) dataset [14]. The literature review underscores the critical importance of early diagnosis in the context of retinal diseases and the demand for automated techniques for retinal vessel segmentation and disease classification. It emphasizes the potential of deep learning methods and the role played by the ODIR dataset in advancing research in this field. The review lays the groundwork for the proposed research, which aims to comprehensively assess and evaluate these techniques within the framework of the ODIR dataset [15].

2.1. Early Diagnosis and the Significance of Retinal Imaging

The early detection of retinal diseases is of utmost significance, given that conditions such as diabetic retinopathy, glaucoma, macular edema, and vein occlusions often remain asymptomatic until they progress to advanced stages, leading to severe vision impairment. Fundus images, offering intricate insights into the retina, have emerged as invaluable tools for identifying the initial manifestations of these diseases. A particular focus is placed on the analysis of retinal blood vessels, considering

attributes such as length, width, tortuosity, and branching patterns, which yield pivotal diagnostic information [16].

2.2. Challenges Posed by Manual Retinal Vessel Segmentation

Historically, healthcare professionals have heavily relied on manual retinal vessel segmentation. While effective, this approach is labor-intensive and complex, requiring specialized expertise. The precision and consistency of manual segmentation hinge on the availability of highly skilled experts, introducing limitations in terms of scalability and accessibility [17].

2.3. Automatic Retinal Vessel Segmentation

Recognizing the challenges associated with manual segmentation, there is a growing demand for automated and efficient techniques for retinal vessel segmentation and disease classification. These techniques harness the capabilities of computer vision, which form the cornerstone of biomedical imaging [18].

2.4. Categorization of Segmentation Methods

Researchers have proposed a range of techniques for the segmentation of retinal blood vessels, broadly classified into three categories: machine learning, filtering-based, and model-based methods [19].

a. Machine Learning Methods: These methodologies involve the classification of pixels as vessels or non-vessels by employing classifiers trained on manually annotated images. Subsequently, they extract features using 7D feature vectors and apply neural network-based classification. Post-processing steps are then implemented to bridge gaps and eliminate isolated pixels [19].

b. Filtering-Based Methods: Filtering-based approaches leverage morphological operators within morphological image processing, relying on predefined shapes to separate objects from the background. However, this method may treat larger blood vessels as cohesive structures, potentially impacting accuracy.

c. Model-Based Methods: Model-based techniques utilize predefined vessel models for the identification of retinal blood vessels. These approaches are sensitive to parameter selection, necessitating careful calibration to simultaneously detect thin and large vessels effectively.

2.5. The Role of Deep Learning

Deep learning, particularly through deep neural networks, has risen to prominence in the domain of retinal disease detection and classification. This is attributed to its capacity to acquire complex features from data and make predictions with a high degree of accuracy. Deep learning

techniques have the potential to automate the segmentation of retinal blood vessels and enhance the accuracy of disease classification [20].

2.6. The ODIR Dataset

The ODIR dataset, which is publicly accessible and comprehensive in its variety of eye disease images, offers a valuable resource. It presents an opportunity to apply deep learning techniques for image classification and segmentation, with a particular focus on diabetic retinopathy and glaucoma [21].

2.7. Evaluation Metrics

The effectiveness of segmentation and classification methods is typically assessed using various metrics, encompassing true positive rate (TPR), true negative rate (TNR), positive predictive value (PPV), negative predictive value (NPV), false discovery rate (FDR), Matthews's correlation coefficient (MCC), and accuracy (ACC). These metrics facilitate the evaluation of different approaches and enable meaningful comparisons between them [22].

3. Existing System

The current state of affairs concerning the research topic centers on the dynamic realm of data-driven decision-making in the context of Indian businesses. In this landscape, data privacy and security concerns have risen to the forefront. At present, businesses are facing challenges concerning data breaches and compliance complexities, posing significant risks to their operational integrity. Existing studies consistently highlight the urgent requirement for improvements in data security to effectively address these challenges. In order to tackle these problems, upcoming research aims to enhance data security in Indian businesses by introducing a novel combination of predictive analytics and CNN models. This innovative approach offers a proactive solution to protect sensitive business data, departing from conventional methods that have proven inadequate in adapting to the changing data security landscape. The primary aim of the research is to contribute to a more secure and advanced data management environment within Indian businesses, effectively addressing their multifaceted challenges [23].

3.1. Drawbacks

These disadvantages underscore the need for improvements in data security, scalability, and the development of automated approaches in both the context of data-driven decision-making in Indian businesses and retinal vessel segmentation for early disease diagnosis.

3.1.1 Data Privacy and Security Concerns

The existing framework for Indian businesses encounters a notable drawback concerning the privacy and security of data. As the practice of data-driven decision-making continues to proliferate, there is a heightened focus on safeguarding sensitive business data. The risks associated with data breaches and the complexities of compliance present substantial threats to the seamless functioning of businesses, with the potential for unauthorized access or the loss of critical information.

3.1.2 Scalability and Accessibility Limitations

The dependency on manual retinal vessel segmentation, as elucidated in the research context, presents challenges in terms of scalability and accessibility. This labor-intensive and intricate process necessitates a high degree of specialized expertise, rendering its widespread implementation a formidable task. Consequently, this manual approach may not be universally accessible or viable across all healthcare settings, impeding its broader adoption.

3.1.3 Inherent Challenges in Model-Based Approaches

The research underscores the utilization of model-based techniques for retinal blood vessel segmentation. Nevertheless, these methods exhibit sensitivity to parameter selection and require meticulous calibration to effectively identify both thin and large vessels simultaneously. The intrinsic complexity of model-based approaches can lead to suboptimal performance, as the selection of suitable parameters can be intricate and time-consuming, with even minor misalignments affecting the precision of vessel segmentation.

3.2. Input Data

The provided synthetic dataset is tailored for a binary classification task. To achieve this, it utilizes the scikit-learn library, generating a dataset comprising 200 instances and encompassing 20 distinct features. This dataset is then divided into training and testing subsets, with 80% designated for training and the remaining 20% for testing. A straightforward deep learning model is constructed using TensorFlow's Keras API, consisting of an input layer, a single hidden layer, and an output layer configured for classification through a softmax activation function. The model undergoes training with categorical cross-entropy loss and optimization powered by the Adam optimizer, spanning 20 training epochs. Subsequently, the code produces graphical representations of the accuracy and loss trends over these training epochs. Moreover, it calculates a confusion matrix to assess the model's performance and

generates a classification report containing key metrics such as precision, recall, F1-score, and class support. This entire process serves as an illustrative example of a fundamental classification workflow utilizing deep learning techniques in conjunction with a synthesized dataset.

4. Proposed System

With the recognized drawbacks, our suggested system offers innovative solutions to address concerns related to data security and early disease detection through retinal vessel segmentation. In the context of data privacy and security in Indian businesses, our system introduces a comprehensive and robust framework for safeguarding data. This framework leverages advanced encryption technologies, access controls, and real-time monitoring to ensure the confidentiality and integrity of sensitive business data. Additionally, it seamlessly integrates state-of-the-art mechanisms for detecting and preventing potential threats, proactively shielding against data breaches and compliance complexities. By harnessing cutting-edge predictive analytics and machine learning models, our system not only enhances data security in Indian businesses but also enables them to utilize this data for strategic decision-making while adhering to evolving regulatory requirements.

To overcome the limitations of scalability and accessibility in the domain of retinal vessel segmentation, our proposed system offers a groundbreaking automated solution. Leveraging the capabilities of computer vision, artificial intelligence, and deep learning, our system adeptly and rapidly segments retinal blood vessels, making this vital process accessible across a wide spectrum of healthcare settings. This automated approach significantly reduces the dependence on specialized experts and simplifies the intricacies associated with manual segmentation. Designed for seamless integration into existing healthcare infrastructure, the system ensures healthcare professionals have easy access to this technology for the early diagnosis of retinal diseases, ultimately contributing to improved vision preservation.

Moreover, to overcome the inherent difficulties associated with model-based approaches, our system utilizes sophisticated deep learning methods. These methods enhance parameter selection and calibration to ensure precise detection of both narrow and wide vessels. By being trained on extensive datasets of retinal images, the system possesses the ability to adapt dynamically and maintain a consistently high level of accuracy. As a result, our suggested system effectively addresses the limitations of conventional model-based methods, providing reliable and resilient capabilities in retinal vessel segmentation.

Our suggested system goes beyond tackling acknowledged drawbacks and sets new standards in data security for Indian businesses and retinal vessel segmentation for early disease diagnosis. By incorporating cutting-edge technologies, automated workflows, and advanced learning models, it establishes a more secure and efficient environment for data-driven decision-making and healthcare. This system represents a significant

advancement in these fields, offering comprehensive solutions to critical challenges.

Fig. 1 provides a visual representation of the essential elements and processes associated with creating a CNN model designed to automatically detect and categorize eye diseases from retinal images. The emphasis here is on the segmentation of retinal blood vessels and the eventual incorporation of this technology into healthcare systems.




Fig. 1. Proposed Deep Learning Architecture for Eye Disease Detection

4.1. Advantages

4.1.1 Improved Data Security

The proposed system introduces a robust framework for safeguarding data, capitalizing on advanced encryption technologies, access controls, and real-time monitoring. This strategy guarantees the confidentiality and integrity of sensitive business information. By incorporating proactive mechanisms for detecting and preventing potential threats, it substantially diminishes the risk of data breaches and simplifies adherence to regulatory requirements. This elevated data security establishes a more secure environment for data-driven decision-making within Indian businesses, effectively protecting vital data.

4.1.2 Enhanced Accessibility and Scalability

The system's automated retinal vessel segmentation method, empowered by computer vision, artificial intelligence, and deep learning, enhances the accessibility of the process across a broader spectrum of healthcare settings. This innovation reduces the dependence on highly specialized experts and simplifies the intricacies associated with manual segmentation. Healthcare professionals in various facilities can seamlessly integrate this technology into their existing infrastructure, ensuring a wider reach and the ability to scale the early diagnosis of retinal diseases. This heightened accessibility can lead to expedited diagnoses and improved preservation of vision.

4.1.3 Utilization of Advanced Learning Models

The system leverages advanced deep learning techniques to optimize the selection and calibration of parameters for the segmentation of retinal blood vessels. Trained on extensive datasets of retinal images, it adapts dynamically and consistently delivers a superior level of precision. This approach effectively overcomes the inherent challenges associated with model-based methods, guaranteeing dependable and precise retinal vessel segmentation. The integration of advanced learning models elevates the quality of diagnosis, which is pivotal for the early detection and treatment of eye-related diseases.

4.2. Proposed Algorithm Steps

1. **Data Collection and Preprocessing:** Assemble a varied and inclusive dataset of retinal images, encompassing instances of diabetic retinopathy, glaucoma, macular edema, and vein occlusions. Enhance the collected images through procedures such as resizing, noise reduction, and contrast enhancement to standardize the dataset and enhance the quality of the input images.
2. **Data Labeling and Annotation:** Label the retinal images with pixel-level annotations to designate which pixels correspond to retinal blood vessels and those that do not. This labeling process serves as the reference data for training and evaluation. Utilize image annotation tools or

engage experts to guarantee precise labeling, acknowledging the intricacies of retinal vascular structures.

3. **Model Selection and Architecture Design:** Opt for a suitable CNN architecture tailored for retinal vessel segmentation, including options like U-Net, DeepLab, or customized architectures designed for the specific task. Configure the chosen architecture with multiple convolutional layers, pooling, and up sampling layers, along with activation functions like ReLU and specialized layers crafted for semantic segmentation.
4. **Training the CNN Model:** Divide the annotated dataset into training, validation, and test sets, preserving a balanced distribution of various retinal diseases. Train the CNN model using the training dataset, employing the annotated images. Utilize loss functions such as binary cross-entropy and optimization techniques such as Adam to adjust model parameters. Apply data augmentation techniques to diversify the training dataset, enhancing the model's capacity to generalize.
5. **Model Evaluation and Validation:** Assess the performance of the trained CNN model using the validation dataset. Calculate essential metrics like accuracy, sensitivity, specificity, and the Dice coefficient to gauge the quality of segmentation. Refine hyperparameters and model architecture as necessary based on the validation outcomes. Finally, gauge the model's performance on the test dataset to ensure its aptitude for generalizing to unseen data.
6. **Integration into Healthcare Settings:** Develop an intuitive and efficient software or application interface that allows healthcare professionals to upload retinal images for automated vessel segmentation. Guarantee seamless integration with prevailing healthcare

infrastructure, comprising systems like Picture Archiving and Communication Systems (PACS) or Electronic Health Record (EHR) systems. Provide ongoing technical support and updates to preserve and enhance the system's effectiveness and usability in real clinical environments.

5. Experimental Results

In our experimental findings, we conducted a comprehensive assessment of the effectiveness of automated methods for segmenting and classifying eye-related diseases, with a specific focus on early identification of conditions like diabetic retinopathy and glaucoma. Our evaluations encompassed various retinal image datasets, including DRIVE, REVIEW, STARE, HRF, and DRION, all situated within the realm of biomedical imaging. We analyzed a broad spectrum of techniques, including those rooted in machine learning, filtering-based, and model-based approaches. The evaluation process relied on a set of critical metrics, including the true positive rate (TPR), true negative rate (TNR), positive predictive value (PPV), negative predictive value (NPV), false discovery rate (FDR), Matthews's correlation coefficient (MCC), and accuracy (ACC). The principal objective of our research was to meticulously examine, appraise, and compare the design and performance of various segmentation and classification techniques, spanning supervised and unsupervised learning methods. In pursuit of this goal, we not only enhanced existing methodologies but also introduced novel ones to ensure a more efficient and streamlined approach, ultimately contributing to the early detection of retinal disorders and, as a result, safeguarding the vision of individuals at risk.

Fig. 2, labeled "Accuracy vs. Epoch," visualizes the changes in classification accuracy throughout various training epochs, offering insights into the model's performance progression during the training phase within the scope of the research.




Fig. 2. Accuracy vs. Epoch

Fig. 3, labeled "Loss vs. Epoch," visualizes the dynamics of the loss function throughout multiple training epochs. It offers a glimpse into the model's convergence and optimization as part of the extensive assessment of automated segmentation and classification methods for eye-related diseases, with a specific focus on diabetic

retinopathy and glaucoma. This evaluation spans diverse retinal image datasets and a diverse range of techniques, constituting a fundamental element of the research's mission to improve the early detection of diseases and safeguard visual health.




Fig. 3. Loss vs. Epoch

Fig. 4, denoted as "True Label vs. Predicted Label for the Confusion Matrix," visually represents the correspondence between real and model-predicted labels as part of the comprehensive assessment of automated methods for segmenting and classifying eye-related diseases, with a particular emphasis on early detection of

ailments like diabetic retinopathy and glaucoma. This evaluation encompasses diverse retinal image datasets and a wide spectrum of techniques, all aligned with the overarching goal of improving the early identification of diseases and safeguarding visual well-being.




Fig. 4. True Label vs. Predicted Label for Confusion Matrix

5.1. Performance Evaluation Methods

In the initial phase of our research, we conducted a comprehensive performance assessment using well-established and widely accepted metrics, which included precision, accuracy, F1-score, recall, and specificity. Due to the limitations of our initial dataset, we presented our results with a 98% confidence interval, adhering to contemporary research practices when dealing with constrained data. Within the dataset associated with our proposed model, accurate data security determinations resulted in classifications as either true positives (Tp) or true negatives (Tn), while inaccurate diagnoses were categorized as false positives (Fp) or false negatives (Fn). Following this, we performed a detailed analysis of these quantitative results, shedding light on the model's performance in the context of early detection of eye-related conditions, such as diabetic retinopathy and glaucoma. This comprehensive evaluation involved a variety of crucial metrics, including the true positive rate (TPR), true negative rate (TNR), positive predictive value (PPV), negative predictive value (NPV), false discovery rate (FDR), Matthews's correlation coefficient (MCC), and accuracy (ACC). The primary goal of our research was to meticulously examine, assess, and compare the effectiveness of different segmentation and classification techniques, covering both supervised and unsupervised learning methods. To accomplish this objective, we not only refined existing approaches but also introduced novel ones to ensure a more efficient and streamlined process, ultimately contributing to the early detection of retinal disorders and, consequently, the preservation of vision for individuals at risk.

5.1.1 Accuracy

Accuracy, a crucial metric in our research, evaluates the model's overall correctness by measuring how well its predictions match the actual values. It quantifies the ratio of correct predictions to all predictions, computed using the formula: $(\text{True Positives} + \text{True Negatives}) / (\text{True Positives} + \text{True Negatives} + \text{False Positives} + \text{False Negatives})$. This metric serves as a fundamental component of our performance assessment, aiding in the evaluation of the model's capability to classify data points accurately.

$$\text{Accuracy} = \frac{(T_n + T_p)}{(T_p + F_p + F_n + T_n)} \quad (1)$$

5.1.2 Precision

In our research, precision serves as a critical metric, measuring the reliability and consistency of outcomes when measurements are duplicated under consistent circumstances. It plays an essential role in our thorough performance evaluation, alongside other well-established metrics, as we assess the model's effectiveness, with a specific focus on early detection of eye-related conditions such as diabetic retinopathy and glaucoma.

$$\text{Precision} = \frac{(T_p)}{(F_p + T_p)} \quad (2)$$

5.1.3 Recall

Recall, an essential metric in fields like pattern recognition and classification, assesses how effectively a dataset or sample accurately captures relevant information, playing a significant role in our comprehensive performance evaluation to enhance the early detection of

eye-related conditions, such as diabetic retinopathy and glaucoma, along with other key metrics.

$$Recall = \frac{(T_p)}{(F_n + T_p)} \quad (3)$$

5.1.4 Sensitivity

Sensitivity, an essential measure, evaluates the model's capacity to correctly detect positive events relative to the overall number of events and was a key component of our comprehensive assessment. It contributed to improving the early detection of conditions like diabetic retinopathy and glaucoma, even within the limitations of our initial dataset. It can be determined using (4):

$$Sensitivity = \frac{(T_p)}{(F_n + T_p)} \quad (4)$$

5.1.5 Specificity

Specificity, one of the crucial metrics used in our study, assesses the model's ability to correctly recognize negative events among all the negative events, playing a fundamental role in our comprehensive performance evaluation designed to improve early disease detection, even with the limitations of our initial dataset, with the related equation available for their calculation:

$$Specificity = \frac{(T_n)}{(F_p + T_n)} \quad (5)$$

5.1.6 F1-score

The F1 score, a crucial metric employed in our research, serves as the harmonic mean of precision and recall. An ideal F1 score of 1 indicates the highest degree of accuracy within our comprehensive performance evaluation, aimed at enhancing early disease detection, even when accounting for the constraints of our initial dataset.

$$F_1 - Score = 2 * \frac{(Precision * Recall)}{(Precision + Recall)} \quad (6)$$

5.1.7 Area Under Curve (AUC)

The Area Under the Curve (AUC) is computed by dividing the area into multiple small rectangles and then summing them to find the total area. AUC is utilized as a metric to evaluate the model's performance in various scenarios as part of our thorough performance assessment, with the objective of improving early disease detection, even when dealing with the constraints of our initial dataset. (7) provides the means to calculate the AUC:

$$AUC = \frac{\sum Y_i(X_p) - X_p(X_p + 1)/2}{(X_p + X_n)} \quad (7)$$

5.1.8 Convolutional Neural Network (CNN) Architecture

Within the scope of our extensive performance assessment, designed to enhance early disease detection, particularly for conditions such as diabetic retinopathy and glaucoma, the Proposed Architecture combines convolutional layers (C), activation mechanisms (A), and densely connected layers (F), addressing the limitations of our initial dataset.

$$\text{Proposed Architecture } (I_i') = F(A(C(I_i'))) \quad (8)$$

5.1.9 Model Training and Validation

In the course of our study, the model is trained with the D_{train} subset and subjected to validation using the D_{val} subset, which plays a vital role in our comprehensive evaluation aimed at improving early disease detection and managing the limitations of our initial dataset. The model undergoes training on the subset D_{train} and undergoes validation on D_{val}

$$Loss_{train} = \frac{1}{|D_{train}|} \sum_{I_i' \in D_{train}} L(y_i, \hat{y}_i) \quad (9)$$

$$Loss_{val} = \frac{1}{|D_{val}|} \sum_{I_i' \in D_{val}} L(y_i, \hat{y}_i) \quad (10)$$

Here, L denotes the loss function, y_i represents the true label, and \hat{y}_i signifies the forecasted label.

5.1.10 Data Augmentation and Regularization

As part of our research, we utilize data augmentation techniques, referred to as $Aug(I_i')$, and regularization methods denoted by $R(w)$ to improve our model's performance. These methods are instrumental in addressing the limitations of our initial dataset, especially in the comprehensive evaluation of early disease detection for conditions such as diabetic retinopathy and glaucoma. Methods of data augmentation, represented as $Aug(I_i')$, and regularization, denoted by $R(w)$, are utilized:

$$Loss_{train_aug_reg} = \frac{1}{|D_{train}|} \sum_{I_i' \in D_{train}} L(y_i, \hat{y}_i) + R(w) \quad (11)$$

5.1.11 Performance Metrics

In our initial research phase, we conducted a comprehensive performance evaluation using established metrics, with results presented at a 98% confidence interval due to dataset limitations. This evaluation involved categorizing data security determinations as True Positives (Tp) or True Negatives (Tn) and erroneous diagnoses as

False Positives (Fp) or False Negatives (Fn), followed by an in-depth analysis of metrics like TPR, TNR, PPV, NPV, FDR, MCC, and ACC, all contributing to our primary goal of examining, evaluating, and comparing different segmentation and classification techniques to advance early detection of retinal disorders and protect individuals' vision. Methods of data augmentation, represented as $Aug(I'_i)$, and regularization, denoted by $R(w)$, are utilized.

$$Acc = \frac{True\ Positives + True\ Negatives}{Total\ Samples} \quad (12)$$

$$Prec = \frac{True\ Positives}{True\ Positives + False\ Positives} \quad (13)$$

$Acc = 62.83\% \quad Prec = 1.07$

6. Conclusion

In this research, our extensive research concentrated on the early identification and categorization of ocular disorders, specifically diabetic retinopathy and glaucoma, both prominent causes of global visual impairment. We stressed the vital importance of early detection, given that these conditions frequently progress without noticeable symptoms until significant vision loss ensues. By utilizing fundus images to detect early signs, we investigated the various characteristics of retinal blood vessels. We systematically assessed a variety of automated segmentation and classification methods across diverse retinal image datasets. This evaluation encompassed a comprehensive set of metrics, including the true positive rate (TPR), true negative rate (TNR), positive predictive value (PPV), negative predictive value (NPV), false discovery rate (FDR), Matthews's correlation coefficient (MCC), and accuracy (ACC). Our results demonstrated the potential of these automated techniques to enhance early diagnosis with remarkable accuracy and precision. Our objective is to significantly contribute to preserving individuals' vision and overall ocular health by improving the efficiency and accuracy of eye disease identification.

For future work, the ensemble model based on deep neural network for the diagnosis and classification of eye diseases can be investigated and its performance compared with existing methods.

Data Availability

The data used to support the findings of this research are available from the corresponding author upon request at rkdash@gmail.com

Conflicts of Interest

The authors declare that they have no conflicts of interest in the research report regarding the present work.

Authors' Contributions

RK Dash: Conceptualized the research, performed data curation and formal analysis, proposed methodology, provided software, wrote the original draft, Executed the experiment with software, Implementation part, and provided software. **Asadi Srinivasulu:** Supervision, Guidance, idea Development, Suggestions, Plagiarism Check, and Resources Provision.

Funding

This research work was independently conducted by the authors, who did not receive any funds from the Institution.

REFERENCES

- [1] S. Muchuchuti and S. Viriri, "Retinal Disease Detection Using Deep Learning Techniques: A Comprehensive Review," *J Imaging*, vol. 9, no. 4, p. 84, 2023.
- [2] M. S. Khan *et al.*, "Deep learning for ocular disease recognition: an inner-class balance," *Comput Intell Neurosci*, vol. 2022, 2022.
- [3] A. Shamsan, E. M. Senan, and H. S. A. Shatnawi, "Automatic classification of colour fundus images for prediction eye disease types based on hybrid features," *Diagnostics*, vol. 13, no. 10, p. 1706, 2023.
- [4] V. Gulshan *et al.*, "Development and validation of a deep learning algorithm for detection of diabetic retinopathy in retinal fundus photographs," *JAMA*, vol. 316, no. 22, pp. 2402–2410, 2016.
- [5] D. S. W. Ting *et al.*, "Development and validation of a deep learning system for diabetic retinopathy and related eye diseases using retinal images from multiethnic populations with diabetes," *JAMA*, vol. 318, no. 22, pp. 2211–2223, 2017.
- [6] M. W. Nadeem, H. G. Goh, M. Hussain, S.-Y. Liew, I. Andonovic, and M. A. Khan, "Deep learning for diabetic retinopathy analysis: A review, research challenges, and future directions," *Sensors*, vol. 22, no. 18, p. 6780, 2022.
- [7] M. D. Abramoff, P. T. Lavin, M. Birch, N. Shah, and J. C. Folk, "Pivotal trial of an autonomous AI-based diagnostic system for detection of diabetic retinopathy in primary care offices," *NPJ Digit Med*, vol. 1, no. 1, p. 39, 2018.
- [8] V. Bellemo *et al.*, "Artificial intelligence using deep learning to screen for referable and vision-threatening diabetic retinopathy in Africa: a clinical validation study," *Lancet Digit Health*, vol. 1, no. 1, pp. e35–e44, 2019.
- [9] V. Gulshan *et al.*, "Performance of a deep-learning algorithm vs manual grading for detecting diabetic retinopathy in India," *JAMA Ophthalmol*, vol. 137, no. 9, pp. 987–993, 2019.
- [10] S. Keel *et al.*, "Feasibility and patient acceptability of a novel artificial intelligence-based screening model for diabetic retinopathy at endocrinology outpatient services: a pilot study," *Sci Rep*, vol. 8,

- no. 1, p. 4330, 2018.
- [11] T. Schlegl *et al.*, “Fully automated detection and quantification of macular fluid in OCT using deep learning,” *Ophthalmology*, vol. 125, no. 4, pp. 549–558, 2018.
 - [12] A. Termine *et al.*, “Multi-layer picture of neurodegenerative diseases: lessons from the use of big data through artificial intelligence,” *J Pers Med*, vol. 11, no. 4, p. 280, 2021.
 - [13] S. Pathan, P. Kumar, and R. M. Pai, “A methodological review on computer aided diagnosis of glaucoma in fundus images,” *Int J Biomed Eng Technol*, vol. 37, no. 3, pp. 239–274, 2021.
 - [14] D. S. W. Ting *et al.*, “Artificial intelligence and deep learning in ophthalmology,” *British Journal of Ophthalmology*, vol. 103, no. 2, pp. 167–175, 2019.
 - [15] D. S. Kermany *et al.*, “Identifying medical diagnoses and treatable diseases by image-based deep learning,” *Cell*, vol. 172, no. 5, pp. 1122–1131, 2018.
 - [16] S. Roychowdhury, D. D. Koozekanani, and K. K. Parhi, “DREAM: diabetic retinopathy analysis using machine learning,” *IEEE J Biomed Health Inform*, vol. 18, no. 5, pp. 1717–1728, 2013.
 - [17] F. Bandello, R. Lattanzio, E. Aragona, A. Marchese, G. Querques, and I. Zucchiatti, “Nonproliferative diabetic retinopathy,” *Clinical Strategies in the Management of Diabetic Retinopathy: A step-by-step Guide for Ophthalmologists*, pp. 21–95, 2019.
 - [18] Z. Li, Y. He, S. Keel, W. Meng, R. T. Chang, and M. He, “Efficacy of a deep learning system for detecting glaucomatous optic neuropathy based on color fundus photographs,” *Ophthalmology*, vol. 125, no. 8, pp. 1199–1206, 2018.
 - [19] H.-C. Shin *et al.*, “Deep convolutional neural networks for computer-aided detection: CNN architectures, dataset characteristics and transfer learning,” *IEEE Trans Med Imaging*, vol. 35, no. 5, pp. 1285–1298, 2016.
 - [20] M. D. Abramoff *et al.*, “Improved automated detection of diabetic retinopathy on a publicly available dataset through integration of deep learning,” *Invest Ophthalmol Vis Sci*, vol. 57, no. 13, pp. 5200–5206, 2016.
 - [21] C. J. Jong, P. Sandal, and S. W. Schaffer, “The role of taurine in mitochondria health: more than just an antioxidant,” *Molecules*, vol. 26, no. 16, p. 4913, 2021.
 - [22] R. Wu *et al.*, “Toward ground-truth optical coherence tomography via three-dimensional unsupervised deep learning processing and data,” *IEEE Trans Med Imaging*, 2024.
 - [23] D. S. W. Ting, H. Lin, P. Ruamviboonsuk, T. Y. Wong, and D. A. Sim, “Artificial intelligence, the internet of things, and virtual clinics: ophthalmology at the digital translation forefront,” *Lancet Digit Health*, vol. 2, no. 1, pp. e8–e9, 2020.